



## SPECIFICATIONS

Product Description: **12" (30.4 cm) AIR BAG BLOWER SYSTEM**  
 Part Number: **9535-12DC, 9535-12LDC**  
 Style: **AXIAL FAN**

### GENERAL DESCRIPTION:

12" (30.4 cm) blower system with ducting built into a heavy duty bag. Zippered ends allow blower use without removing unit from bag. Combination Axial 12" (30.4 cm) blower, 15' (4.75 m) or 25' (7.62 m) duct and custom storage bag to house system.



### CONSTRUCTION:

- Lightweight, metal 12" (30.4 cm) blower
- Super quiet
- Carry handle with molded-in 2-speed switch
- Steel/powder coated housing and grills
- Unique bag with openings for plug/cord, inlet and outlet
- Durable reinforced polyester bag
- Easy to carry and store
- All-in-one unit for ease of operation
- Duct mounted on the blower and stored inside bag
- Both carrying handle and shoulder strap allow for easy transportation
- 15' (4.75 m) power cord with battery clamps
- Easily accessible inline fuse

### MOTOR:

HP: 1/4 HP  
 Voltage: 12V DC  
 Max RPM: 3800  
 Amps: 22A  
 Fuse: 30A

### FAN:

- Glass Reinforced Polypropylene (PPG), three blade with aluminum hub

### DUCTING:

- Single-Ply lightweight vinyl/polyester, PVC coated 180° F (82.2° C) temperature resistant
- Non-collapsible retractable design
- Yellow with black wear-strip and integrated nylon attachment strap on each end

### DIMENSIONS:

Length	Width	Height	Weight
28" (71.1 cm)	16" (40.6 cm)	14" (35.5 cm)	36 lbs. (16.3 kg)

### FLOW RATES: (CFM calculated using 15' (4.57 m) of 12" (30.5 cm) ducting)

Free Air CFM (m³/hr)	One 90° Bend CFM (m³/hr)	Two 90° Bends CFM (m³/hr)
1360 (2,311)	1060 (1,801)	933 (1,585)

### AVAILABLE:

**9535-12** 12" (30.4 cm) blower system with 15' (4.57 m) ducting  
**9535-12L** 12" (30.4 cm) blower system with 25' (7.62 m) ducting